





NOTES: - DIMENSIONS IN PARENTHESIS ARE IN INCHES.
 - RECOMMENDED TIE ROD TORQUE: 30 F.T LBS.
 - OIL QUANTITY BY HOUSING, BEARING 0,56 liter.
 - USED OIL SPECIFICATIONS
 JAROGEAR Z.150 Extreme oil pressure SERVICE API-GL5
 EQUIVALENT: ESSO SPARTAN EP 150
 ELF REDUCTELF SP 150
 TOTAL CARTER EP 150
 SHELL OMALA 150

REV	DATE	EDN	BY	REVISIONS
8	14/04/2003		BD	ORIGINAL

NOTE: - TYPE 151.08 RT ONLY DIRECT DRIVE AND ROTATION SPEED ≤ 3000 RPM.



QTY.	PART NO.	IMPELLER TYPE	DWG.	WEIGHT.kg
	S.5518	N*6202	151-53	15
	S.5504	N*6211	151-04	15
	S.5520	N*6212	151-17	15
	S.5505	N*6301	151-05	7
	S.5627	N*6301.A	151-303	7
	S.5586	N*6302	151-170	7
	S.5551	N*6311	151-33	7
	S.5571	N*6312	151-87	7

TYPE	151.01	151.02	151.03	151.04	151.05	151.06	151.07	151.08	
PART NO. ITEM 8	S.5521	S.5522	S.5523	S.5524	S.5525	S.5526	S.5527	S.5556	
WEIGHT.kg. ITEM 8	35,7	46,9	58,1	69,3	80,5	91,7	102,9	114,1	
PART NO. ITEM 42	S.1241	S.1243	S.1035	S.0697	S.5258	S.5533	S.5534	S.5557	
QTY.	ITEM 3	0	1	2	3	4	5	6	7
	ITEM 4	1	2	3	4	5	6	7	8
	ITEM 5	0	1	2	3	4	5	6	7
	ITEM 6	1	2	3	4	5	6	7	8
	ITEM 36	1	2	3	4	5	6	7	8
	ITEM 54	0	1	2	3	4	5	6	7
	ITEM 57	6	10	14	18	22	26	30	34
DIMENSION E	444 (17 1/2)	629 (24 7/8)	794 (31 1/4)	959 (37 3/4)	1124 (44 1/4)	1289 (50 3/4)	1454 (57 1/4)	1619 (63 3/4)	
DIMENSION X	250 (9 7/8)	415 (16 3/8)	580 (22 7/8)	745 (29 3/8)	910 (35 3/4)	1075 (42 1/4)	1240 (48 3/4)	1405 (55 3/8)	
DIMENSION L	1043 (41 1/4)	1208 (47 5/8)	1373 (53 3/4)	1538 (60 3/4)	1703 (66 3/4)	1868 (73 1/4)	2033 (79 3/4)	2198 (86 3/4)	
WEIGHT: kg	600	850	1100	1350	1600	1850	2100	2350	
WEIGHT: LBS	1322	1873	2424	2975	3526	4078	4628	5180	

63	48	M20	WASHER, M20			
62	24	H M20-090	SCREW, H M20-90			
61	2	S.1225	COMPANION FLANGE DN300 PN10		C.STEEL	12
60	2	S.1226	GASKET, FLANGE DN300	005		
59	2	S.1224	COVER, PORT	050	C.STEEL	
58	Variable	M06J	WASHER, M6		S.STEEL	
57	See chart I	GS M06-010J	SCREW, GS M6-10		S.STEEL	
56	6	CHC M06-016J	SCREW, CHC M6-16		S.STEEL	
55	6	S.1455	BRACKET, BAFFLE	150-21	S.STEEL	
54	See chart I	S.5617	BAFFLE, INTERMEDIATE SECTION	151-18	S.STEEL	0,8
53	1	S.5535	BAFFLE, INLET HEAD	151-18	S.STEEL	0,7
52	24	CHC M08-025	SCREW, CHC M8-25			
51	12	CHC M08-045	SCREW, CHC M8-45			
50	36	W08	WASHER LOCK, W8			
49	4	AHC M08-010.PL	SCREW, AHC M8-10.PL			
48	16	CHC M16-040	SCREW, CHC M16-40			
47	16	W16	WASHER LOCK, W16			
46	48	H M20	NUT, H20			
45	48	W20	WASHER LOCK, W20			
44	1	S.1802	VALVE WARNING PLATE	008		
43	1	S.1801	SURGE WARNING PLATE	092	ALUMINIUM	
42	12	See chart I	TIE ROD	010	C.STEEL	
41	8	CT02.89-008	RIVET, Ø2,89-8			
40	1	S.0216	NAME PLATE	284	ALUMINIUM	
39	1	S.1414	KEY, COUPLING	003	C.STEEL	0,17
38	2	S.2581	PLUG PIPE, 1/4 GAS MAGNETIC			
37	8	S.0200	PLUG PIPE, 1/4 GAS			
36	See chart I	S.1427	PLUG PIPE, 1/2 GAS			
35	2	S.2580	NIPPLE, FF 1/4 GAS			
34	2	S.2579	NIPPLE, MM 1/4 GAS			
33	2	S.1423	OILER 1/4 GAS			0,4
32	2	S.1273	RETAINER, SUMP	150-45	C.STEEL	0,2
31	2	S.1215	LABYRINTH, BEARING HOUSING	75-13	ALUMINIUM	0,24
30	2	S.1218	FAN GUARD, BEARING HOUSING	75-41	C.STEEL	0,1
29	2	S.1214	FAN GUARD, BEARING HOUSING	75-41	C.STEEL	0,1
28	2	S.1275	GASKET, OIL RESERVOIR	150-47		
27	2	S.1216	GASKET, BEARING CAP	150-18		
26	2	S.1222	NUT, KM13			0,2
25	2	S.1221	WASHER, MB13			
24	2	S.1211	SPACER, SHORT	75-17	C.STEEL	0,13
23	2	S.1213	OIL SLINGER	75-18	C.STEEL	0,12
22	2	S.1212	SPACER, LONG	75-16	C.STEEL	0,45
21	1	S.1272	SPACER, BEARING	150-46	C.STEEL	0,22
20	2	S.1262	BEARING, BALL 6313 C3 THT			2,1
19	2	S.1210	FAN, COOLING	75-12	ALUMINIUM	0,65
18	4	S.1256	CARBON RING	150-39	CARBON	
17	2	S.1255	ADAPTER, CARBON RING	150-40	ALUMINIUM	0,45
16	2	S.1254	RETAINER, CARBON RING	150-40	ALUMINIUM	1,2
15	1	S.1204	CAP, BEARING-OUTLET END	150-14	ALUMINIUM	1,3
14	1	S.1205	CAP, BEARING-INLET END	150-13	ALUMINIUM	1,1
13	2	S.1271	OIL RESERVOIR	150-44	CAST IRON	5,7
12	2	S.1270	HOUSING, BEARING	150-48	CAST IRON	13
11	1	S.5532	NUT, KM21			0,8
10	1	S.5531	WASHER, MB21			
9	2	S.5509	WASHER, WAVY SPRING	151-10	C.STEEL	
8	1	See chart I	SHAFT	151-07	C.STEEL	See chart I
7	Variable	S.5508	SHIM, IMPELLER	006	C.STEEL	
6	See chart I	S.5510	KEY, IMPELLER 14x12x79	003	C.STEEL	0,1
5	See chart I	S.5506	SPACER, IMPELLER	151-08	C.STEEL	1,4
4	See chart I	See chart II	IMPELLER	See chart II	ALUMINIUM	See chart II
3	See chart I	S.5503	SECTION, INTERMEDIATE	151-03	CAST IRON	220
2	1	S.5502	HEAD, OUTLET	151-02	CAST IRON	24,0
1	1	S.5501	HEAD, INLET	151-01	CAST IRON	24,0

CONTINENTAL INDUSTRIE S.A. TYPE 151A RT INLET END DRIVE

SECTIONAL DRAWING CARBON SEAL RING

DATE: 14/04/2003

SCALE: 1:1

DR: BD CHKD: DR

DWG No. 151A-AC1A 0

This drawing is a property of Continental Industrie, FRANCE.